



# **Implementation Guidelines for ISO 20022 Interbank Messages**

**SIC, euroSIC and SIC IP Service**

**System Manager Reservation (camt.048)**

**Version 2.1, valid from 21 November 2025**

## Change history

All the changes carried out in this document are listed below with the version designation, the change date, a brief description of the change and the specification of the chapters affected.

Version	Date	Description of the change	Chapter
2.1	28.02.2025	Modifications per SIC Platform Releases 4.12 and 5.2	
		Former chapter 3.1 "Message flow" removed (editorial adjustment without functional impact to align with other module documents, see "Base document" or "SIC IP Service Handbook" for illustrations of message flows)	
		Modifications of "Technical specifications": New reference to the base document due to changed specifications for "ISODatetime" (CR2025-SIC4-0002) for the following element: <ul style="list-style-type: none"> <li>.../MsgHdr/CreDtTm</li> </ul>	4.1
2.0	28.02.2024	Modifications per SIC Platform Releases 4.11 and 5.1	
		Integration of the RTGS services in the entire document (previously only SIC-IP service considered)	All
		Migration of the RTGS use case for System Manager and associated reservation type to ISO 20022 message standard in message camt.048 (CR2024-SIC4-0011)	3.1, 3.2 4.1, 4.2, 4.3
1.0	20.10.2022	First edition	All

Table 1: Change history

Please address all suggestions, corrections, and proposed improvements to this document to:

**SIX Interbank Clearing Ltd**

Hardturmstrasse 201

CH-8005 Zurich

E-Mail: [contact.sic@six-group.com](mailto:contact.sic@six-group.com)

[www.six-group.com](http://www.six-group.com)

## General notes

SIX Interbank Clearing Ltd ("**SIC Ltd**") reserves the right to modify this document, as the need arises, at any time without prior notice.

SIC Ltd reserves all rights for this document including the rights of photomechanical reproduction, storage on electronic media and the translation into foreign languages.

Although great care has been taken in the compilation and preparation of this work to ensure accuracy, errors and omissions cannot be entirely ruled out. SIC Ltd cannot be held liable for any decision made or action taken in reliance on the information in this document or for any consequential, special or similar damages.

To improve readability, the use of masculine and feminine forms of language are avoided wherever possible. All personal designations are to be regarded as gender neutral.

If you detect any errors in this document or have any ideas or suggestions for improvements we would be extremely grateful if you would notify these by e-mail to [\*\*contact.sic@six-group.com\*\*](mailto:contact.sic@six-group.com).

## Table of contents

<b>Change history .....</b>	<b>2</b>
<b>General notes .....</b>	<b>3</b>
<b>Table of contents .....</b>	<b>4</b>
<b>Table of tables .....</b>	<b>5</b>
<b>Table of figures.....</b>	<b>6</b>
<b>1      Introduction.....</b>	<b>7</b>
1.1      Overview of the documentation structure .....	7
1.2      Target audience.....	7
1.3      Change control .....	7
1.4      XML schema .....	7
1.5      Reference documents .....	7
<b>2      ISO definitions .....</b>	<b>8</b>
<b>3      Business specifications.....</b>	<b>9</b>
3.1      Use case.....	9
3.2      Reservation types.....	9
3.3      References in the "Modify Reservation" (camt.048) message .....	10
3.4      Specifying the desired reservation amount .....	10
3.5      Further business specifications.....	10
<b>4      Technical specifications .....</b>	<b>11</b>
4.1      Message Header (MsgHdr, A-level) .....	11
4.2      Reservation Identification (RsvatnId, B-level) .....	13
4.3      New Reservation Value Set (NewRsvatnValSet, C-level) .....	16

## Table of tables

Table 1:	Change history .....	2
Table 2:	Use case for the ISO 20022 message type "camt.048" .....	9
Table 3:	System Manager reservation types and their codes in the "camt.048" message .....	9
Table 4:	Message Header (MsgHdr, A-level) .....	12
Table 5:	Reservation Identification (RsvatnId, B-level) .....	15
Table 6:	New Reservation Value Set (NewRsvatnValSet, C-level) .....	17

## Table of figures

Figure 1:	Basic message structure of the "camt.048" message .....	8
Figure 2:	Specifying the System Manager reservation type (Reservation Identification, Type) .....	9
Figure 3:	Message Identification.....	10
Figure 4:	Specifying the reservation amount (New Reservation Value Set, Amount Without Currency) .....	10
Figure 5:	Message Header (MsgHdr).....	11
Figure 6:	Reservation Identification (RsvatnId) .....	13
Figure 7:	New Reservation Value Set (NewRsvatnValSet) .....	16

# 1 Introduction

## 1.1 Overview of the documentation structure

The Implementation Guidelines consist of a base document with general information concerning all message types, and various module documents – this document is for the message type "camt.048" – with message-specific information, including information on the application-specific handling of individual elements. They specify the messages to be submitted to and delivered from the RTGS services SIC and euroSIC as well as the SIC IP service using the ISO 20022 message standard.

## 1.2 Target audience

This Implementation Guideline is intended exclusively for the System Managers of the RTGS services SIC and euroSIC as well as the SIC IP service.

## 1.3 Change control

All modifications made to this document are listed in the change history showing the version, the date of the change, a brief description and references to the chapters concerned.

## 1.4 XML schema

The XML schema for "camt.048" is published on the [www.iso-payments.ch](http://www.iso-payments.ch) website:

- ***camt.048.001.05.ch.01.xsd***

It should preferably be opened using specialized XML software.


## 1.5 Reference documents

Additional information on the Implementation Guidelines can be found in the reference documents listed in the base document.

## 2 ISO definitions

The "Modify Reservation" message (camt.048) is sent from the System Manager to the service to set, adjust, or delete a System Manager reservation amount.

The "Modify Reservation" message is based on the ISO 20022 XML schema "camt.048.001.05".



The "camt.048" message is essentially structured as follows:

- **A-level:** Message level, "*Message Header*" element. This block must occur exactly once.
- **B-level:** Reservation level, "*Reservation Identification*" element. This block must occur exactly once.
- **C-level:** Amount level, "*New Reservation Value Set*" element. This block must occur exactly once.

Figure 1: Basic message structure of the "camt.048" message



## 3 Business specifications

### 3.1 Use case

The "Modify Reservation" message is used by the System Manager for the following use case:

Use case	Input/Output	ISO 20022
RTGS or IP System Manager reservation	I	camt.048

Table 2: Use case for the ISO 20022 message type "camt.048"

A "camt.048" message sent by the System Manager is always acknowledged by the service with a "camt.025" message.

### 3.2 Reservation types

The following reservation types are available for the System Manager:

Reservation types	Code value
RTGS System Manager reservation	RTSMRV
IP System Manager reservation	IPSMRV

Table 3: System Manager reservation types and their codes in the "camt.048" message

To allow for correct, type-specific definition and validation, a corresponding code value is provided in the *ModfyRsvatn/RsvatnId/Cur/Tp/Prtry* element for purposes of identification.




Figure 2: Specifying the System Manager reservation type (Reservation Identification, Type)

### 3.3 References in the "Modify Reservation" (camt.048) message

In the "camt.048" message, the `.../MsgHdr/MsgId` reference is included by the System Manager in the A-level as the unique message identification.




Figure 3: Message Identification

### 3.4 Specifying the desired reservation amount

In the "camt.048" message, the reservation amount for the "RTGS or IP System Manager reservation" is set with the `.../NewRsvatnValSet/Amt/AmtWthtCcy` element.




Figure 4: Specifying the reservation amount (New Reservation Value Set, Amount Without Currency)

- Any possibly already existing reservation amount will be overwritten by a newly specified amount.
- If an existing reservation amount is to be deleted, then the amount value must be specified with the value "0" (zero).

### 3.5 Further business specifications

Further business specifications can be found in the base document.

## 4 Technical specifications

### 4.1 Message Header (MsgHdr, A-level)

The "Message Header" block (A-level of the message) occurs exactly once in the message and contains the following elements:




Figure 5: Message Header (MsgHdr)

The following table specifies all the elements of the "Message Header" block in the "camt.048" message that are relevant to the RTGS services SIC and euroSIC as well as the SIC IP service.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Document +Modify Reservation V05	ModfyRsvatn	1..1	1..1	
Message Header	MsgHdr	1..1	1..1	
Message Header +Message Identification	MsgId	1..1	1..1	<b>Message Identification</b> Only the restricted character set excluding spaces is permitted for this element.
Message Header +Creation Date Time	CreDtTm	0..1	1..1	<b>Creation Date Time</b> See chapter "Times in all services (ISODatetime)" in the Implementation Guideline "Base Document".

Table 4: Message Header (MsgHdr, A-level)

## 4.2 Reservation Identification (RsvatnId, B-level)

The "Reservation Identification" block (B-level of the message) contains information to identify the System Manager, about the reservation type and the appropriate settlement account.




Figure 6: Reservation Identification (RsvatnId)

The following table specifies all the elements of the "Reservation Identification" block of the "camt.048" message that are relevant to the RTGS services SIC and euroSIC as well as the SIC IP service.

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Reservation Identification	RsvatnId	1..1	1..1	
Reservation Identification +Current	Cur	1..1	1..1	
Reservation Identification +Current ++System Identification	SysId	0..1	1..1	
Reservation Identification +Current ++System Identification +++Market Infrastructure Identification	MktInfrstrctrId	1..1	1..1	<b>Market Infrastructure Identification</b>
Reservation Identification +Current ++System Identification +++Market Infrastructure Identification ++++Code	Cd	1..1	1..1	<b>Clearing System Identification (code)</b> Identification of the clearing system, the following code values are available: SIC RTGS service (CHF only) = value SIC must be used euroSIC RTGS service (EUR only) = value SEU must be used SIC IP service (CHF only) = value SIP must be used
Reservation Identification +Current ++Type	Tp	1..1	1..1	<b>Reservation Type</b>
Reservation Identification +Current ++Type +++Proprietary	Prtry	1..1	1..1	<b>Reservation Type Code (proprietary)</b> Identification of the reservation type, the following code values for are available: RTSMRV = RTGS System Manager reservation (RTGS services SIC and euroSIC only) IPSMRV = IP System Manager reservation (SIC IP service only)
Reservation Identification +Current ++Account Owner	AcctOwnr	0..1	1..1	<b>Account Owner</b> Identifies the System Manager. Required for authorization checking. Either <BICFI> or <ClrSysMmbId> element must be used, the following service-specific specifications must also be taken into account.
Reservation Identification +Current ++Account Owner +++Financial Institution Identification	FinInstnId	1..1	1..1	<b>Financial Institution Identification</b>

ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
Reservation Identification +Current ++Account Owner +++Financial Institution Identification ++++BICFI	BICFI	0..1	0..1	<b>Identification of Account Owner (BIC)</b> May only be used in the RTGS services SIC and euroSIC, use is not permitted in the SIC IP service.  Specifications for use in the RTGS services SIC and euroSIC: This element must not be used at the same time as <ClrSysMmbId>. Must contain a valid BIC of the System Manager. Must not be concatenated.
Reservation Identification +Current ++Account Owner +++Financial Institution Identification ++++Clearing System Member Identification	ClrSysMmbId	0..1	0..1	<b>Identification of Account Owner (proprietary)</b> May be used in the RTGS services SIC and euroSIC, but not at the same time as <BICFI>. In the SIC-IP service, use is mandatory.  Must contain a valid identification of the System Manager. Must not be concatenated.
Reservation Identification +Current ++Account Owner +++Financial Institution Identification ++++Clearing System Member Identification +++++Member Identification	MmbId	1..1	1..1	<b>Member Identification</b> SIC IID (=6n) of the System Manager.
Reservation Identification +Current ++Account Identification	AcctId	0..1	1..1	<b>Settlement Account Information</b>
Reservation Identification +Current ++Account Identification +++Other	Othr	1..1	1..1	<b>Identification of Settlement Account (proprietary)</b>
Reservation Identification +Current ++Account Identification +++Other ++++Identification	Id	1..1	1..1	<b>Account Number (proprietary)</b> Must contain the account number of an active settlement account (format =6n).

Table 5: Reservation Identification (RsvatnId, B-level)

### 4.3 New Reservation Value Set (NewRsvatnValSet, C-level)

The "New Reservation Value Set" block (C-level of the message) contains the reservation amount.




Figure 7: New Reservation Value Set (NewRsvatnValSet)

The following table specifies all the elements of the "New Reservation Value Set" block of the "camt.048" message that are relevant to the RTGS services SIC and euroSIC as well as the SIC IP service.



ISO 20022 Standard			Swiss ISO 20022 Payments Standard	
Message Item	XML Tag	Mult	Mult	Definition
New Reservation Value Set	NewRsvatnValSet	1..1	1..1	
New Reservation Value Set +Amount	Amt	1..1	1..1	
New Reservation Value Set +Amount ++Amount Without Currency	AmtWthtCcy	1..1	1..1	<b>Liquidity Reservation Amount</b> Absolut value. The amount specified replaces any currently set value. In the RTGS services SIC and euroSIC an "RTGS System Manager Reservation" will reduce the "Account balance 1" of the specified RTGS settlement account by this amount. In the SIC IP service an "IP System Manager Reservation" will reduce the "Available IP balance" of the specified IP settlement account by this amount.

Table 6: New Reservation Value Set (NewRsvatnValSet, C-level)